

Package ‘CausalGAM’

July 21, 2025

Version 0.1-4

Date 2017-10-16

Title Estimation of Causal Effects with Generalized Additive Models

Author Adam Glynn <adam.glynn@emory.edu>,
Kevin Quinn <kmq@umich.edu>

Maintainer Kevin Quinn <kmq@umich.edu>

Depends R (>= 2.9.0), gam (>= 1.0.1)

Description Implements various estimators for average treatment effects - an inverse probability weighted (IPW) estimator, an augmented inverse probability weighted (AIPW) estimator, and a standard regression estimator - that make use of generalized additive models for the treatment assignment model and/or outcome model. See: Glynn, Adam N. and Kevin M. Quinn. 2010. "An Introduction to the Augmented Inverse Propensity Weighted Estimator." *Political Analysis*. 18: 36-56.

License GPL-2

NeedsCompilation no

Repository CRAN

Date/Publication 2017-10-19 19:56:10 UTC

Contents

balance.IPW	2
estimate.ATE	5

Index	12
--------------	-----------

balance.IPW	<i>Check Post-Weighting Balance for (A)IPW Estimators Using Generalized Additive Models</i>
-------------	---

Description

This function calculates weighted means of covariates where weights in inverse propensity weights and then examines the differences in the weighted means across treated and control units as a diagnostic for covariate balance.

Usage

```
balance.IPW(pscore.formula, pscore.family,
            treatment.var, outcome.var, data = NULL,
            divby0.action = c("fail", "truncate", "discard"),
            divby0.tol = 1e-08, nboot = 501,
            suppress.warnings = TRUE, ...)
```

Arguments

pscore.formula	A formula expression for the propensity score model. See the documentation of <code>gam</code> for details.
pscore.family	A description of the error distribution and link function to be used for the propensity score model. See the documentation of <code>gam</code> for details.
treatment.var	A character variable giving the name of the binary treatment variable in data. If <code>treatment.var</code> is a numeric variable, it is assumed that <i>control</i> corresponds to <code>sort(unique(treatment.values))[1]</code> and <i>treatment</i> corresponds to <code>sort(unique(treatment.values)[2]</code> . If <code>treatment.var</code> is a factor, it is assumed that <i>control</i> corresponds to <code>levels(treatment.values)[1]</code> and <i>treatment</i> corresponds to <code>levels(treatment.values)[2]</code> .
outcome.var	A character variable giving the name of the outcome variable in data.
data	A <i>non-optional</i> data frame containing the variables in the propensity score model along with all covariates that one wishes to assess balance for. data cannot contain any missing values .
divby0.action	A character variable describing what action to take when some estimated propensity scores are less than <code>divby0.tol</code> or greater than $1 - \text{divby0.tol}$. Options include: ‘fail’ (abort the call to <code>estimate.ATE</code>), ‘truncate’ (set all estimated propensity scores less than <code>divby0.tol</code> equal to <code>divby0.tol</code> and all estimated propensity scores greater than $1 - \text{divby0.tol}$ equal to $1 - \text{divby0.tol}$), and ‘discard’ (discard units that have estimate propensity scores less than <code>divby0.tol</code> or greater than $1 - \text{divby0.tol}$). Note that discarding units will change the estimand.
divby0.tol	A scalar in $[0, 0.5)$ giving the tolerance level for extreme propensity scores. Defaults to $1e - 8$. See <code>divby0.action</code> for details.
nboot	Number of bootstrap replications used for calculating bootstrap standard errors. If <code>nboot</code> is less than or equal to 0 then bootstrap standard errors are not calculated. Defaults to 501.

References

Adam N. Glynn and Kevin M. Quinn. 2010. "An Introduction to the Augmented Inverse Propensity Weighted Estimator." *Political Analysis*.

See Also

[gam](#), [estimate.ATE](#)

Examples

```
## Not run:
set.seed(1234)
## number of units in sample
n <- 2000

## measured potential confounders
z1 <- rnorm(n)
z2 <- rnorm(n)
z3 <- rnorm(n)
z4 <- rnorm(n)

## treatment assignment
prob.treated <- pnorm(-0.5 + 0.75*z2)
x <- rbinom(n, 1, prob.treated)

## potential outcomes
y0 <- z4 + rnorm(n)
y1 <- z1 + z2 + z3 + cos(z3*2) + rnorm(n)

## observed outcomes
y <- y0
y[x==1] <- y1[x==1]

## put everything in a data frame
examp.data <- data.frame(z1, z2, z3, z4, x, y)

## augment data with interactions and powers of covariates
examp.data$z1z1 <- examp.data$z1^2
examp.data$z2z2 <- examp.data$z2^2
examp.data$z3z3 <- examp.data$z3^2
examp.data$z4z4 <- examp.data$z4^2

examp.data$z1z2 <- examp.data$z1 * examp.data$z2
examp.data$z1z3 <- examp.data$z1 * examp.data$z3
examp.data$z1z4 <- examp.data$z1 * examp.data$z4

examp.data$z2z3 <- examp.data$z2 * examp.data$z3
examp.data$z2z4 <- examp.data$z2 * examp.data$z4

examp.data$z3z4 <- examp.data$z3 * examp.data$z4
```

```

## check balance of a propensity score model that is not sufficient to
## control confounding bias

bal.1 <- balance.IPW(pscore.formula=x~s(z3)+s(z4),
                    pscore.family=binomial(probit),
                    treatment.var="x",
                    outcome.var="y",
                    data=examp.data,
                    nboot=250)

print(bal.1) ## some big z-statistics here indicating balance not so great

## try again
bal.2 <- balance.IPW(pscore.formula=x~z1+z2+z3+z4,
                    pscore.family=binomial(probit),
                    treatment.var="x",
                    outcome.var="y",
                    data=examp.data,
                    nboot=250)

print(bal.2) ## balance looks much better--
             ##   only 1 out of 14 zs > 2.0 in absval

## End(Not run)

```

estimate.ATE	<i>Estimate Population Average Treatment Effects (ATE) Using Generalized Additive Models</i>
--------------	--

Description

This function implements three estimators for the population ATE— a regression estimator, an inverse propensity weighted (IPW) estimator, and an augmented inverse propensity weighted (AIPW) estimator— using generalized additive models.

Usage

```

estimate.ATE(pscore.formula, pscore.family,
             outcome.formula.t, outcome.formula.c, outcome.family,
             treatment.var, data = NULL,
             divby0.action = c("fail", "truncate", "discard"),
             divby0.tol = 1e-08, nboot = 501,
             variance.smooth.deg = 1, variance.smooth.span = 0.75,
             var.gam.plot = TRUE, suppress.warnings = TRUE, ...)

```

Arguments

- `pscore.formula` A formula expression for the propensity score model. See the documentation of `gam` for details.
- `pscore.family` A description of the error distribution and link function to be used for the propensity score model. See the documentation of `gam` for details.
- `outcome.formula.t`
A formula expression for the outcome model under active treatment. See the documentation of `gam` for details.
- `outcome.formula.c`
A formula expression for the outcome model under control. See the documentation of `gam` for details.
- `outcome.family` A description of the error distribution and link function to be used for the outcome models. See the documentation of `gam` for details.
- `treatment.var` A character variable giving the name of the binary treatment variable in data. If `treatment.var` is a numeric variable, it is assumed that *control* corresponds to `sort(unique(treatment.values))[1]` and *treatment* corresponds to `sort(unique(treatment.values)[1]`. If `treatment.var` is a factor, it is assumed that *control* corresponds to `levels(treatment.values)[1]` and *treatment* corresponds to `levels(treatment.values)[2]`.
- `data` A *non-optional* data frame containing the variables in the model. **data cannot contain any missing values.**
- `divby0.action` A character variable describing what action to take when some estimated propensity scores are less than `divby0.tol` or greater than $1 - \text{divby0.tol}$. Options include: 'fail' (abort the call to `estimate.ATE`), 'truncate' (set all estimated propensity scores less than `divby0.tol` equal to `divby0.tol` and all estimated propensity scores greater than $1 - \text{divby0.tol}$ equal to $1 - \text{divby0.tol}$), and 'discard' (discard units that have estimate propensity scores less than `divby0.tol` or greater than $1 - \text{divby0.tol}$). Note that discarding units will change the estimand.
- `divby0.tol` A scalar in $[0, 0.5)$ giving the tolerance level for extreme propensity scores. Defaults to $1e - 8$. See `divby0.action` for details.
- `nboot` Number of bootstrap replications used for calculating bootstrap standard errors. If `nboot` is less than or equal to 0 then bootstrap standard errors are not calculated. Defaults to 501.
- `variance.smooth.deg`
The degree of the loess smooth used to calculate the conditional error variance of the outcome models given the estimated propensity scores. Possible values are 0, 1, or 2. Defaults to 1. If set to a value less than 0 then the conditional error variance will not be calculated and the estimated asymptotic standard errors will not be reported. See `lo` for details.
- `variance.smooth.span`
The span of the loess smooth used to calculate the conditional error variance of the outcome models given the estimated propensity scores. Defaults to 10.75. If set to a value less than or equal to 0 then the conditional error variance will not be calculated and the estimated asymptotic standard errors will not be reported. See `lo` for details.

var.gam.plot Logical value indicating whether the estimated conditional variances should be plotted against the estimated propensity scores. Setting var.gam.plot to TRUE is useful for judging whether variance.smooth.deg and variance.smooth.span were set appropriately. Defaults to TRUE.

suppress.warnings Logical value indicating whether warnings from the gam fitting procedures should be suppressed from printing to the screen. Defaults to TRUE.

... Further arguments to be passed.

Details

The three estimators implemented by this function are a regression estimator, an IPW estimator with weights normalized to sum to 1, and an AIPW estimator. Glynn and Quinn (2010) provides details regarding how each of these estimators are implemented. The AIPW estimator requires the specification of both a propensity score model governing treatment assignment and outcome models that describe the conditional expectation of the outcome variable given measured confounders and treatment status. The AIPW estimator has the so-called double robustness property. This means that if either the propensity score model or the outcomes models are correctly specified then the estimator is consistent for ATE.

Standard errors for the regression and IPW estimators can be calculated by either the bootstrap or by estimating the large sample standard errors. The latter approach requires estimation of the conditional variance of the disturbances in the outcome models given the propensity scores (see section IV of Imbens (2004) for details). The accuracy of these standard errors is only as good as one's estimates of these conditional variances.

Standard errors for the AIPW estimator can be calculated similarly. In addition, Lunceford and Davidian (2004) also discuss an empirical sandwich estimator of the sampling variance which is also implemented here.

Value

An object of class CausalGAM with the following attributes:

ATE.AIPW.hat AIPW estimate of ATE.

ATE.reg.hat Regression estimate of ATE.

ATE.IPW.hat IPW estimate of ATE.

ATE.AIPW.sand.SE Empirical sandwich standard error for ATE.AIPW.hat.

ATE.AIPW.asymp.SE Estimated asymptotic standard error for ATE.AIPW.hat.

ATE.reg.asymp.SE Estimated asymptotic standard error for ATE.reg.hat.

ATE.IPW.asymp.SE Estimated asymptotic standard error for ATE.IPW.hat.

ATE.AIPW.bs.SE Estimated bootstrap standard error for ATE.AIPW.hat.

ATE.reg.bs.SE Estimated bootstrap standard error for ATE.reg.hat.

ATE.IPW.bs.SE Estimated bootstrap standard error for ATE.IPW.hat.

<code>ATE.AIPW.bs</code>	Vector of bootstrap replications of <code>ATE.AIPW.hat</code> .
<code>ATE.reg.bs</code>	Vector of bootstrap replications of <code>ATE.reg.hat</code> .
<code>ATE.IPW.bs</code>	Vector of bootstrap replications of <code>ATE.IPW.hat</code> .
<code>gam.t</code>	<code>gam</code> object from fitted outcome model under treatment.
<code>gam.c</code>	<code>gam</code> object from the fitted outcome model under control.
<code>gam.ps</code>	<code>gam</code> object from the fitted propensity score model.
<code>truncated.indic</code>	Logical vector indicating which rows of data had extreme propensity scores truncated.
<code>discarded.indic</code>	Logical vector indicating which rows of data were discarded because of extreme propensity scores.
<code>treated.value</code>	Value of <code>treatment.var</code> that corresponds to active treatment.
<code>control.value</code>	Value of <code>treatment.var</code> that corresponds to control.
<code>treatment.var</code>	<code>treatment.var</code>
<code>n.treated.prediscard</code>	Number of treated units before any truncations or discards.
<code>n.control.prediscard</code>	Number of control units before any truncations or discards.
<code>n.treated.postdiscard</code>	Number of treated units after truncations or discards.
<code>n.control.postdiscard</code>	Number of control units after truncations or discards.
<code>pscores.prediscard</code>	Estimated propensity scores before any truncations or discards.
<code>pscores.postdiscard</code>	Estimated propensity scores after truncations or discards.
<code>cond.var.t</code>	Vector of conditional error variances for the outcome for each unit under treatment given the unit's estimated propensity score.
<code>cond.var.c</code>	Vector of conditional error variances for the outcome for each unit under control given the unit's estimated propensity score.
<code>call</code>	The initial call to <code>estimate.ATE</code> .
<code>data</code>	The data frame sent to <code>estimate.ATE</code> .

Author(s)

Adam Glynn, Emory University

Kevin Quinn, University of Michigan

References

Adam N. Glynn and Kevin M. Quinn. 2010. "An Introduction to the Augmented Inverse Propensity Weighted Estimator." *Political Analysis*.

Guido W. Imbens. 2004. "Nonparametric Estimation of Average Treatment Effects Under Exogeneity: A Review." *The Review of Economics and Statistics*. 86: 4-29.

Jared K. Lunceford and Marie Davidian. 2004. "Stratification and Weighting via the Propensity Score in Estimation of Causal Treatment Effects: A Comparative Study." *Statistics in Medicine*. 23: 2937-2960.

See Also

[gam](#), [balance](#), [IPW](#)

Examples

```
## Not run:
## a simulated data example with Gaussian outcomes
##

## number of units in sample
n <- 2000

## measured potential confounders
z1 <- rnorm(n)
z2 <- rnorm(n)
z3 <- rnorm(n)
z4 <- rnorm(n)

## treatment assignment
prob.treated <- pnorm(-0.5 + 0.75*z2)
x <- rbinom(n, 1, prob.treated)

## potential outcomes
y0 <- z4 + rnorm(n)
y1 <- z1 + z2 + z3 + cos(z3*2) + rnorm(n)

## observed outcomes
y <- y0
y[x==1] <- y1[x==1]

## put everything in a data frame
examp.data <- data.frame(z1, z2, z3, z4, x, y)

## estimate ATE
##
## in a real example one would want to use a larger number of
## bootstrap replications
##
```

```
ATE.out <- estimate.ATE(pscore.formula = x ~ s(z2),
                       pscore.family = binomial,
                       outcome.formula.t = y ~ s(z1) + s(z2) + s(z3) + s(z4),
                       outcome.formula.c = y ~ s(z1) + s(z2) + s(z3) + s(z4),
                       outcome.family = gaussian,
                       treatment.var = "x",
                       data=examp.data,
                       divby0.action="t",
                       divby0.tol=0.001,
                       var.gam.plot=FALSE,
                       nboot=50)

## print summary of estimates
print(ATE.out)

## a simulated data example with Bernoulli outcomes
##

## number of units in sample
n <- 2000

## measured potential confounders
z1 <- rnorm(n)
z2 <- rnorm(n)
z3 <- rnorm(n)
z4 <- rnorm(n)

## treatment assignment
prob.treated <- pnorm(-0.5 + 0.75*z2)
x <- rbinom(n, 1, prob.treated)

## potential outcomes
p0 <- pnorm(z4)
p1 <- pnorm(z1 + z2 + z3 + cos(z3*2))
y0 <- rbinom(n, 1, p0)
y1 <- rbinom(n, 1, p1)

## observed outcomes
y <- y0
y[x==1] <- y1[x==1]

## put everything in a data frame
examp.data <- data.frame(z1, z2, z3, z4, x, y)

## estimate ATE
##
```

```
## in a real example one would want to use a larger number of
## bootstrap replications
##
ATE.out <- estimate.ATE(pscore.formula = x ~ s(z2),
                      pscore.family = binomial,
                      outcome.formula.t = y ~ s(z1) + s(z2) + s(z3) + s(z4),
                      outcome.formula.c = y ~ s(z1) + s(z2) + s(z3) + s(z4),
                      outcome.family = binomial,
                      treatment.var = "x",
                      data=examp.data,
                      divby0.action="t",
                      divby0.tol=0.001,
                      var.gam.plot=FALSE,
                      nboot=50)

## print summary of estimates
print(ATE.out)

## End(Not run)
```

Index

* **models**

- balance.IPW, [2](#)
- estimate.ATE, [5](#)

balance.IPW, [2](#), [9](#)

estimate.ATE, [4](#), [5](#)

gam, [4](#), [9](#)